

Care preparation in hospital wards or technical platform wards

- Robustness: excellent resistance, one-piece structure made of aluminium
- 100 % hygiene: designed with a minimum of retention zones, and resistant to disinfecting products of hospital environment
- Customization thanks to a wide range of drawers and accessories
- Ward name identification
- Ergonomic and handy: designed for medical staff comfort
- Unique design and harmonious colours



Robust



Hygienic



Ergonomic



Customizable

- Double or triple mobile column
- Height: 100 cm
- Roller shutter door or without door
- Code lock (with spare key) or badge lock, or without lock
- Optimal storage unit under work surface with direct access to products, thanks to front drawers without curtain door
- Mobile work surface: easy cleaning

Customizable structure

3 available colours

Magenta pink

Apple green

Sky blue




Standard configurations - BASIC

For precise height, see technical data


Mobile work surface with 2 columns

Reference	Description
8YPTM264H100_RM	NEOP "Basic" mobile work surface 2 col. 600x400 H100 without roller shutter door - magenta pink
8YPTM264H100_VP	NEOP "Basic" mobile work surface 2 col. 600x400 H100 without roller shutter door - apple green
8YPTM264H100_BC	NEOP "Basic" mobile work surface 2 col. 600x400 H100 without roller shutter door - sky blue



Mobile work surface with 3 columns

Reference	Description
8YPTM364H100_RM	NEOP "Basic" mobile work surface 3 col. 600x400 H100 without roller shutter door - magenta pink
8YPTM364H100_VP	NEOP "Basic" mobile work surface 3 col. 600x400 H100 without roller shutter door - apple green
8YPTM364H100_BC	NEOP "Basic" mobile work surface 3 col. 600x400 H100 without roller shutter door - sky blue



Custom configurations

STEP 1 - Mobile work surface structure

Choice of mobile work surface structure according to its dimensions

Double-column work surface 40 mm level	Triple-column work surface 40 mm level
8Y264H100P4.PM	8Y364H100P4.PM

This reference includes:

- **Structure**
- **Wheels**
- **Inside panels**

STEP 2 - Mobile work surface customization

Selection of elements 1 to 4

Closing system, locking system and colour strips must be ordered in duplicate for a mobile double-column work surface, and in triplicate for a mobile triple-column work surface

		Double-column work surface	Triple-column work surface
1	Upper shelf	8Y001_6400CP2	8Y001_6400CP3
2	Roller shutter door	8Y002_6010F3	8Y002_6010F3
Mobile work surface can be ordered without closure.			
BE CAREFUL! For double-column work surface without roller shutter door, you have to add 2 end stops ref. <u>8Y014</u> . For triple-column work surface without roller shutter door, you have to add 3 end stops ref. <u>8Y014</u> .			
3	Code lock	8Y003CODE3	8Y003CODE3
	Badge lock	8Y003BADGE3	8Y003BADGE3
Mobile work surface can be ordered without lock.			
4	Colour	Magenta pink: 8Y004_0010RM Apple green: 8Y004_0010VP Sky blue: 8Y004_0010BC	Magenta pink: 8Y004_0010RM Apple green: 8Y004_0010VP Sky blue: 8Y004_0010BC

*For precise height, see technical data



Compact laminate upper shelf



Roller shutter closure



Code lock



Badge lock

Magenta pink

Apple green

Sky blue

Accessories and internal fittings

Standard rail, push handle, drawers...

Please refer to product data sheets.



Technical data



* Usable dimensions
 ** Usable height on work surface

Materials

Structure	Complete welded and EPOXY anti-corrosion treated aluminium one-piece structure
Work surface	Compact laminate 10 mm thickness
Slides	ABS (Acrylonitrile Butadiene Styrene)
Closing system	Roller shutter door: PP (Polypropylene), 2 mm thickness
Wheels	Simple non marking rubber wheels - polyamide cover (PA)
Bumpers	4 non marking round stop blocks made of EVA (Ethylene Vinyl Acetate)

Additional information

Wheels	125 mm diameter - 2 breaking wheels + 2 swivelling wheels Wheel and wheel-pin double blocking	
Empty weight	Double: 56 kg	Triple: 80 kg
Capacity	Double (40 mm levels): - 36 levels for mobile work surface with roller shutter - 40 levels for mobile work surface without roller shutter	Triple (40 mm levels): - 54 levels for mobile work surface with roller shutter - 60 levels for mobile work surface without roller shutter
Locking system	Code lock / Badge lock	
Strip of colour	70 micron calendered PVC vinyl film with acrylic adhesive	

Packaging

Packing	Individually on pallet strapped and film-wrapped, or on wheels, with proper protection	Dimensions L X D x H	Double: 80 x 150 x 120 cm Triple: 80 x 220 x 120 cm
Gross weight (structure + packaging)	Double: 68 kg Triple: 92 kg	Volume	Double: 1,5 m ³ Triple: 2,2 m ³