

Supply of medicines or medical devices

- Robustness: excellent resistance, torsion-resistant steel frame, primer powder + polyester treated
- Possible binding for transport at all levels, on the external framework
- 100 % hygiene: designed with a minimum of retention zones, and resistant to disinfecting products of hospital environment
- Customization thanks to a wide range of drawers and accessories
- Ergonomic and handy: designed for medical staff comfort
- Unique design and harmonious colours



Robust



Hygienic



Ergonomic



Customizable

- Single-column transfer trolley
- Height 120 cm
- Roller shutter door
- Code lock (with spare key) or badge lock

Customizable structure

3 available colours

Magenta pink

Apple green

Sky blue



Trolley configuration

STEP 1 - Trolley structure

Trolley height 120 cm* 40 mm level
8Y164H120P4.TR

This reference includes:

- **Structure**
- **Framework**
- **Wheels**
- **Inside panels**

STEP 2 - Trolley Customization

Selection of elements 1 to 3 is compulsory

		Trolley height 120 cm*
1	Roller shutter door	8Y002_6012F3
2	Code lock	8Y003CODE3
	Badge lock	8Y003BADGE3
3	Colour	Magenta pink: 8Y004_0012RM Apple green: 8Y004_0012VP Sky blue: 8Y004_0012BC

*for precise height, see next page



Roller shutter closure



Code lock



Badge lock

Magenta pink

Apple green

Sky blue

STEP 3 - Accessories and internal fittings

Drawer, tow bar...

Please refer to product data sheets





Materials

Structure	Complete welded one-piece aluminium structure, EPOXY anti-corrosion treated
Framework	Machine welded steel, prime powder + polyester treated
Slides	ABS (Acrylonitrile Butadiene Styrene)
Closing system	Roller shutter door: PP (Polypropylene), 2 mm thickness
Wheels	Semi-elastic rubber wheels - pressed steel bracket
Bumpers	4 stainless steel corners

Additional information

Wheels	160 mm diameter - 2 breaking wheels + 2 swivelling wheels
Empty weight (framework + structure)	52 kg + 26 kg = 82 kg
Capacity	24 levels of 40 mm for trolley with roller shutter door 26 levels of 40 mm for trolley without roller shutter door
Locking system	Code lock / Badge lock
Strip of colour	70 micron calendered PVC vinyl film, with acrylic adhesive

Packaging

Packing	Individually on pallet strapped and film-wrapped, or on wheels, with proper protection	Dimensions L X D x H	88 x 80 x 160 cm
Gross Weight (trolley + packaging)	94 kg	Volume	1,13 m ³